

LuxWay



The finest of details, luxury and style

About Us

*L*uxWay - The modern bathroom is a key area in the home that must be functional and design conscious. Once accomplished, it provides the perfect haven for rest and relaxation. We understand that this is more than just an ordinary space, but an area that allows you to wind down after a long hard day's work and simply - Relax and Escape.

We pay close attention to the finest of details to ensure high functionality while maintaining stylish designs. We have the full support of our own in-house manufacturing facility and possess the design expertise needed so we can offer a wide range of bathroom products including frameless shower doors and enclosures, free standing tubs, European style tub doors, and other bathroom accessories. We have been a leader in this industry for over 15 years and feel confident that we will be able to offer options and solutions to any of your specific needs.



Content

- 4 / Shower Door
- 28 / Shower Enclosure
- 32 / Walk-In Enclosure
- 42 / Tub Door
- 54 / Shower Base
- 62 / Bath Tub
- 76 / Shower Seat
- 80 / Footboard

Shower Doors

*M*odern and seamless design, sophisticated style, using the highest quality materials, meticulous craftsmanship are words to that describe LuxWay line of shower doors. Our doors are created with premium thick tempered glass and the finest hardware available in the industry. Our selection of Frameless glass, Sliding glass, Bypass, Pivot, Hinged glass shower doors. We offer a wide array of sizes, styles, configurations, and finish options.



KOSMOS - Big Roller Shower Door

Description

This shower door composes of superior quality stainless steel rollers that allow it to glide seamlessly and quietly with just the push of a finger. This door offers the option to open from the right or left

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:	Shower Base Optional:
L1SD4876-CH-10CL	43 5/8" - 46 5/8"	76"	16 3/8" - 19 3/8"	48" x 36" x 3 1/2"
L1SD6076-CH-10CL	54 5/8" - 58 5/8"	76"	21 3/8" - 25 3/8"	60" x 32" x 3 1/2"

- Polished aluminum wall jamb
- Polished stainless steel track, steel roller and handle
- 3/8 in. (10 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Track (bar) may be shortened up to 4 in. for width (perpendicular) adjustment
- Frameless glass design
- Model consists of one sliding door and one stationary inline panel
- Effortless sliding operation with large wheel assembly on a stainless steel track (bar)
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Rectangle base



Big roller



Easy clean



Push-in installation



Plastic magnetic strip



Sliding door



Reversible install



Screw cap cover



Adjustment



10mm thick glass



Aluminium profile



LUXUS - Telescopic Pivot Shower Door (Framed)

Description

This shower door offers an airy and spacious feel that will suit any shower space. It's simplistic design make installation easy. This door will fit from a 34" to 38" adjustment.

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:	Shower Base Optional:
L2SD3676-CH-08CL	34" - 38"	76"	22"	36" x 36" x 3 1/2"

- Polished aluminum wall jamb
- Chrome zinc alloy pivot slide door
- Polished stainless steel handle
- 5/16 in. (8 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Rail may be extended up to 4 in. for width (perpendicular) adjustment
- Frame glass design
- Model consists of one swing door and one stationary inline panel
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Square base



Pivot



Screw-fixed installation



Easy clean



Plastic magnetic strip



Swing door



Reversible install



Screw cap cover



Adjustment



8mm thick glass



Aluminium profile



NOVOUS - Two Fixed Panel Pivot Door (Frameless)

Description

The NOVOUS two fixed panel pivot door with fixed panel is perfect for a larger alcove showering area and a flexible installation. Smart wall profile and the stainless steel pivot hardware design provide up to 5" of installation adjustment for minimum width 44" and 56".

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:	Shower Base Optional:
L2SD4876-CH-06CL	44" - 49"	72"	20 5/8" - 25 5/8"	48" x 36" x 3 1/2"(C)
L2SD6076-CH-06CL	56" - 61"	72"	20 5/8" - 25 5/8"	60" x 32" x 3 1/2"(L/C/R)

- Polished aluminum wall jamb
- Chrome zinc alloy pivot slide door
- Polished stainless steel handle
- Polished aluminum brace bar
- 1/4 in. (6 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Door glass may be extended up to 5 in. for width (perpendicular) adjustment
- Frameless glass design
- Model consists of one swing door and two stationary inline panels
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Rectangle base



Pivot



Screw-fixed installation



Easy clean



Plastic magnetic strip



Swing door



Reversible install



Screw cap cover



Adjustment



8mm thick glass



Aluminium profile



VANTO - Hinge Pivot Door Only

Description

This hinge pivot door collection is extremely versatile and offers a range of sizes that will accommodate opens from 22" to 60" in width. Therefore, this option can transform any area into a modern showering experience that may have some space limitations.

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:
L3SD2472-CH-10CL	25 1/4" - 25 1/2"	72"	21 5/8"
L3SD2572-CH-10CL	26 1/4" - 26 1/2"	72"	22 5/8"
L3SD2672-CH-10CL	27 1/4" - 27 1/2"	72"	23 5/8"
L3SD2772-CH-10CL	28 1/4" - 28 1/2"	72"	24 5/8"
L3SD2872-CH-10CL	29 1/4" - 29 1/2"	72"	25 5/8"
L3SD2972-CH-10CL	30 1/4" - 30 1/2"	72"	26 5/8"
L3SD3072-CH-10CL	31 1/4" - 31 1/2"	72"	27 5/8"

- Polished aluminum wall jamb
- Brass hinge
- Polished stainless steel handle
- 3/8 in. (10 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Frameless glass design
- Model consists of one swing door
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Hinge



Swing door



Easy clean



Screw-fixed installation



Plastic magnetic strip



10mm thick glass



Reversible install



Adjustment



Screw cap cover



Aluminium profile



VANTO - Hinge Pivot Door

Description

This hinge pivot door collection is extremely versatile and offers a range of sizes that will accommodate opens from 22" to 60" in width. Therefore, this option can transform any area into a modern showering experience that may have some space limitations.

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:	Shower Base Optional:
L3SD30240672-CH-10CL	30" - 31" (D24+P6)	72"	21 5/8"	-
L3SD31250672-CH-10CL	31" - 32" (D25+P6)	72"	22 5/8"	-
L3SD32260672-CH-10CL	32" - 33" (D26+P6)	72"	23 5/8"	-
L3SD33270672-CH-10CL	33" - 34" (D27+P6)	72"	24 5/8"	-
L3SD34280672-CH-10CL	34" - 35" (D28+P6)	72"	25 5/8"	36" x 36" x 3 1/2"
L3SD35290672-CH-10CL	35" - 36" (D29+P6)	72"	26 5/8"	-
L3SD36300672-CH-10CL	36" - 37" (D30+P6)	72"	27 5/8"	-

- Polished aluminum wall jamb
- Brass hinge
- Polished stainless steel handle
- 3/8 in. (10 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Fixed panel may be extended up to 1 in. for width (perpendicular) adjustment
- Frameless glass design
- Model consists of one swing door and one stationary inline panel
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Hinge



Swing door



Easy clean



Screw-fixed installation



Plastic magnetic strip



10mm thick glass



Reversible install



Adjustment



Screw cap cover



Aluminium profile



VANTO - Hinge Pivot Door

Description

This hinge pivot door collection is extremely versatile and offers a range of sizes that will accommodate opens from 22" to 60" in width. Therefore, this option can transform any area into a modern showering experience that may have some space limitations.

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:
L3SD36241272-CH-10CL	36" - 37" (D24+P12)	72"	21 5/8"
L3SD37251272-CH-10CL	37" - 38" (D25+P12)	72"	22 5/8"
L3SD38261272-CH-10CL	38" - 39" (D26+P12)	72"	23 5/8"
L3SD39271272-CH-10CL	39" - 40" (D27+P12)	72"	24 5/8"
L3SD40281272-CH-10CL	40" - 41" (D28+P12)	72"	25 5/8"
L3SD41291272-CH-10CL	41" - 42" (D29+P12)	72"	26 5/8"
L3SD42301272-CH-10CL	42" - 43" (D30+P12)	72"	27 5/8"

- Polished aluminum wall jamb
- Brass hinge
- Polished stainless steel handle
- Polished stainless steel brace bar
- 3/8 in. (10 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Fixed panel may be extended up to 1 in. for width (perpendicular) adjustment
- Frameless glass design
- Model consists of one swing door and one stationary inline panel
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Hinge



Swing door



Easy clean



Screw-fixed installation



Plastic magnetic strip



10mm thick glass



Reversible install



Adjustment



Screw cap cover



Aluminium profile



VANTO - Hinge Pivot Door

Description

This hinge pivot door collection is extremely versatile and offers a range of sizes that will accommodate opens from 22" to 60" in width. Therefore, this option can transform any area into a modern showering experience that may have some space limitations.

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:	Shower Base Optional:
L3SD42241872-CH-10CL	42" - 43" (D24+P18)	72"	21 5/8"	-
L3SD43251872-CH-10CL	43" - 44" (D25+P18)	72"	22 5/8"	-
L3SD44261872-CH-10CL	44" - 45" (D26+P18)	72"	23 5/8"	-
L3SD45271872-CH-10CL	45" - 46" (D27+P18)	72"	24 5/8"	-
L3SD46281872-CH-10CL	46" - 47" (D28+P18)	72"	25 5/8"	48" x 36" x 3 1/2"
L3SD47291872-CH-10CL	47" - 48" (D29+P18)	72"	26 5/8"	-
L3SD48301872-CH-10CL	48" - 49" (D30+P18)	72"	27 5/8"	-

- Polished aluminum wall jamb
- Brass hinge
- Polished stainless steel handle
- Polished stainless steel brace bar
- 3/8 in. (10 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Fixed panel may be extended up to 1 in. for width (perpendicular) adjustment
- Frameless glass design
- Model consists of one swing door and one stationary inline panel
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Hinge



Swing door



Easy clean



Screw-fixed installation



Plastic magnetic strip



10mm thick glass



Reversible install



Adjustment



Screw cap cover



Aluminium profile



VANTO - Hinge Pivot Door

Description

This hinge pivot door collection is extremely versatile and offers a range of sizes that will accommodate opens from 22" to 60" in width. Therefore, this option can transform any area into a modern showering experience that may have some space limitations.

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:
L3SD48242472-CH-10CL	48" - 49" (D24+P24)	72"	21 5/8"
L3SD49252472-CH-10CL	49" - 50" (D25+P24)	72"	22 5/8"
L3SD50262472-CH-10CL	50" - 51" (D26+P24)	72"	23 5/8"
L3SD51272472-CH-10CL	51" - 52" (D27+P24)	72"	24 5/8"
L3SD52282472-CH-10CL	52" - 53" (D28+P24)	72"	25 5/8"
L3SD53292472-CH-10CL	53" - 54" (D29+P24)	72"	26 5/8"
L3SD54302472-CH-10CL	54" - 55" (D30+P24)	72"	27 5/8"

- Polished aluminum wall jamb
- Brass hinge
- Polished stainless steel handle
- Polished stainless steel brace bar
- 3/8 in. (10 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Fixed panel may be extended up to 1 in. for width (perpendicular) adjustment
- Frameless glass design
- Model consists of one swing door and one stationary inline panel
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Hinge



Swing door



Easy clean



Screw-fixed installation



Plastic magnetic strip



10mm thick glass



Reversible install



Adjustment



Screw cap cover



Aluminium profile



VANTO - Hinge Pivot Door

Description

This hinge pivot door collection is extremely versatile and offers a range of sizes that will accommodate opens from 22" to 60" in width. Therefore, this option can transform any area into a modern showering experience that may have some space limitations.

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:	Shower Base Optional:
L3SD54243072-CH-10CL	54" - 55" (D24+P30)	72"	21 5/8"	-
L3SD55253072-CH-10CL	55" - 56" (D25+P30)	72"	22 5/8"	-
L3SD56263072-CH-10CL	56" - 57" (D26+P30)	72"	23 5/8"	-
L3SD57273072-CH-10CL	57" - 58" (D27+P30)	72"	24 5/8"	-
L3SD58283072-CH-10CL	58" - 59" (D28+P30)	72"	25 5/8"	60" x 32" x 3 1/2"
L3SD59293072-CH-10CL	59" - 60" (D29+P30)	72"	26 5/8"	-
L3SD60303072-CH-10CL	60" - 61" (D30+P30)	72"	27 5/8"	-

- Polished aluminum wall jamb
- Brass hinge
- Polished stainless steel handle
- Polished stainless steel brace bar
- 3/8 in. (10 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Fixed panel may be extended up to 1 in. for width (perpendicular) adjustment
- Frameless glass design
- Model consists of one swing door and one stationary inline panel
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Hinge



Swing door



Easy clean



Screw-fixed installation



Plastic magnetic strip



10mm thick glass



Reversible install



Adjustment



Screw cap cover



Aluminium profile



MELLOW - European Hinge Shower Door

Description

The MELLOW is an european style frameless option that is elegantly curved and opens outwards for easy access. The innovative wall profile provides an out – of – plumb adjustment for easier installation.

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:	Shower Base Optional:
L6SD4572-CH-08CL	45 1/2 - 45 7/8	72"	21 3/8"	60" x 32" x 3 1/2"

- Polished aluminum wall jamb
- Brass hinge
- 5/16 in. (8 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Frameless glass design
- Model consists of one swing door and one panel
- Effortless swing operation with hinges on glass
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Rectangle base



Push-in installation



Easy clean



Adjustment



Swing door



Reversible install



Aluminium profile



8mm thick glass



Screw cap cover



VOGUE - Double Sliding Shower Door

Description

The VOGUE frameless bypass shower door has contemporary curved towel bar combines high quality materials while enhancing the beauty and functionality of this affordable shower door line. The bypass shower door panels slide effortlessly on perfectly engineered guide rails, so you can enter the shower space from either side.

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:	Shower Base Optional:
L4SD6076-CH-10CL	56 1/2" - 59 1/2"	76"	24" - 27"	60" x 32" x 3 1/2"

- Polished aluminum wall jamb and rail
- Polished stainless steel roller
- Polished stainless steel towel bar
- 3/8 in. (10 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Rail may be shortened up to 3 in. for width (perpendicular) adjustment
- Frameless glass design
- Model consists of two sliding door
- Effortless sliding operation with wheel assembly in top rail
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Rectangle base



Sliding door



Easy clean



Reversible install



10mm thick glass



Aluminium profile



Shower Enclosures

*T*he collection of Shower Enclosures has been designed for anyone to enjoy a stylish, uncompromised bathroom environment. Our products combined with a modern and sophisticated design will ensure a relaxing and restful retreat. This streamline shower enclosures utilizes a corner installation that would complement any bathroom design.



KOSMOS - Big Roller Shower Enclosure

Description

DAZZLE stainless steel roller system features an innovative bypass and roller design that perfectly matches the left or right hand acrylic shower base.

Features and specifications

Product code:	Width (min-max):	Deep (min-max):	Height:	Opening wide:	Shower Base Optional:
L1SE483476-CH-10CL	43 5/8" - 46 5/8"	32 1/2" - 32 7/8"	76"	16 3/8" - 19 3/8"	48" x 34" x 3 1/2"
L1SE603676-CH-10CL	54 5/8" - 58 5/8"	34 3/8" - 34 3/4"	76"	21 3/8" - 25 3/8"	60" x 36" x 3 1/2"

- Polished aluminum wall jamb
- Polished stainless steel track, steel roller and handle
- 3/8 in. (10 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Track (bar) may be shortened up to 4 in. for width (perpendicular) adjustment
- Frameless glass design
- Model consists of one sliding door and one stationary inline panel
- Effortless sliding operation with large wheel assembly on a stainless steel track (bar)
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Rectangle base



Big roller



Push-in installation



Easy clean



Plastic magnetic strip



Sliding door



Reversible install



Adjustment



10mm thick glass



Aluminium profile



Walk-In Enclosure

*T*his beautifully designed Centerpieces and Corner Wet room is sure to enhance any bathroom, which is a true space saver by design. This corner wet room is as elegant as it is practical. If you are looking for a versatile easy-to-install system, the Signature doors are the answer for you. The single panel with mirror effect sits straight to the floor or standard base with a watertight seal for a sleek look and comprehensive cleaning. Our base is available in a range of sizes to fit your space.



TERRA - Corner Wet Room

Description

This single panel sits straight to the floor or base with a watertight seal for a sleek look and thorough cleaning, while smooth, sculptured bars overhead make for a minimalist finish

Features and specifications

Product code:	Width (min-max):	Height:	Shower Base Optional:
L5SEA4876-CH-08MI	45 1/2" - 46"	76"	48" x 36" x 3 1/2"

- Polished aluminum wall jamb
- Polished stainless steel brace bar
- 5/16 in. (8 mm) thick SGCC certified mirror tempered glass
- Include easy clean protective coating
- Frameless glass design
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Rectangle base



Easy clean



Aluminium profile



Push-in installation



8mm thick glass



Reversible install



Adjustment



Walk-In Enclosure

TERRA - Corner Wet Room With Return

Description

Adding a hinge return panel to our simple corner wet room creates a cubicle effect without losing any of the understated glamour, clean look and trouble-free cleaning properties of the original.

Features and specifications

Product code:	Width (min-max):	Deep (min-max):	Height:	Shower Base Optional:
L5SEB481276-CH-08MI	46 9/64" - 46 17/32" (1172mm - 1182mm)	12 1/8" (308mm)	76"	48" x 36" x 3 1/2"

- Polished aluminum wall jamb
- Brass hinge
- Polished stainless steel brace bar
- 5/16 in. (8 mm) thick SGCC certified mirror and grey tempered glass
- Include easy clean protective coating
- Frameless glass design
- Model consists of one swing door and one panel
- Effortless swing operation with hinges on glass
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Rectangle base



Easy clean



Aluminium profile



Push-in installation



8mm thick glass



Reversible install



Adjustment



Walk-In Enclosure

TERRA - Corner Wet Room With Return And Side Panel

Description

Our walk-in shower solution is cleverly designed so that the side panel glass fits neatly as a walk-in enclosure. Smooth and sturdy brackets overhead add to the discreet, contemporary style.

Features and specifications

Product code:	Width (min-max):	Deep (min-max):	Height:
L5SEC723676-CH-08MI	70 23/64" - 70 3/4" (1787mm - 1797mm)	34" - 34 3/8" (863mm - 873mm)	76"

- Polished aluminum wall jamb
- Brass hinge
- Polished stainless steel brace bar
- 5/16 in. (8 mm) thick SGCC certified mirror and grey tempered glass
- Include easy clean protective coating
- Frameless glass design
- Model consists of one swing door and one panel
- Effortless swing operation with hinges on glass
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Adjustment



Easy clean



Aluminium profile



Push-in installation



8mm thick glass



Reversible install



TERRA - Walk-Through Enclosure With Two Hinged Panel

Description

This range has been designed to create a spacious, luxurious showering area and offers a contemporary wet-room look with the convenience of a conventional shower base.

Features and specifications

Product code:	Width (min-max):	Deep (min-max):	Height:
L5SED481276-CH-08MI	45 19/32" (1158mm)	11 27/32" (300mm)	76"

- Polished aluminum wall jamb
- Brass hinge
- Polished stainless steel brace bar
- 5/16 in. (8 mm) thick SGCC certified mirror and grey tempered glass
- Include easy clean protective coating
- Frameless glass design
- Model consists of one swing door and one panel
- Effortless swing operation with hinges on glass
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Reversible install



Easy clean



8mm thick glass



TUB Door

The installation of tub door compliments perfectly with any tub to bring extra elegance to any bathroom. It is easy to upgrade your bathtub from your old shower door or curtain with this custom-look which are prevalent in European, are becoming increasingly specified by leading designers. Three type of tub-door including Pivot, sliding and folding are benefit for all different need. The deluxe model is conveniently engineered for reversible left or right-hand installation.



KOSMOS - Big Roller Tub Door

Description

KOSMOS is easy to install and you will love the big roller door. The design is unique with an innovative pass and roller design. It is smooth and quiet when you open or close the door.

Features and specifications

Product code:	Width (min-max):	Height:
L1TD6062-CH-10CL	54 5/8" - 58 5/8"	62"

- Polished aluminum wall jamb
- Polished stainless steel track, steel roller and handle
- 3/8 in. (10 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Track (bar) may be shortened up to 4 in. for width (perpendicular) adjustment
- Frameless glass design
- Model consists of one sliding door and one stationary inline panel
- Effortless sliding operation with large wheel assembly on a stainless steel track (bar)
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Aluminium profile



Big roller



Easy clean



Push-in installation



Plastic magnetic strip



Sliding door



Reversible install



Screw cap cover



Adjustment



10mm thick glass



MELLOW - European Hinge Pivot Tub Door

Description

The MELLOW hinge pivot tub door is chic and elegant. This tub door will surely impress anyone.

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:
L6TD4558-CH-08CL	45 1/2" - 45 7/8"	58"	21 3/8"

- Polished aluminum wall jamb
- Brass hinge
- 5/16 in. (8 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Frameless glass design
- Model consists of one swing door and one panel
- Effortless swing operation with hinges on glass
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Adjustment



Push-in installation



Easy clean



Aluminium profile



Swing door



Reversible install



Screw cap cover



8mm thick glass



Tub Door

VOGUE - Double Sliding Tub Door

Description

VOGUE double sliding tub door sends a polished appearance with its sleek and minimalist design for any tub users.

Features and specifications

Product code:	Width (min-max):	Height:	Opening wide:
L4TD6058-CH-10CL	56 1/2" - 59 1/2"	62"	24" - 27"

- Polished aluminum wall jamb and rail, stainless steel roller and stainless steel towel bar
- 3/8 in. (10 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Rail may be shortened up to 3 in. for width (perpendicular) adjustment
- Frameless glass design
- Model consists of two sliding door
- Effortless sliding operation with wheel assembly in top rail
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Aluminium profile



Sliding door



Easy clean



Reversible install



10mm thick glass



OUREA - Barrel Hinge Pivot Tub Door

Description

OUREA Barrel Hinge Pivot Tub Door is modern allow glass screens to open inwards and outward and it comes with a few practical extras, a towel bar and integral glass shelves.

Features and specifications

Product code:	Width (min-max):	Height:
L7TD3559-CH-06CL	35"-35 4/5"	59"

- Polished aluminum wall jamb
- 1/4 in. (6 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Frameless glass design
- With shelf function
- Model consists of one swing door and one panel
- Effortless swing operation with pivot assembly
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Swing door



Push-in installation



Easy clean



Aluminium profile



6mm thick glass



Reversible install



Adjustment



Screw cap cover



Screw-fixed installation



Decorative cover



Tub Door

NEREUS - Folding Tub Door

Description

NEREUS folding tub door creates an airy and open environment with its minimalist frameless design. You will like it when you see it.

Features and specifications

Product code:	Width (min-max):	Height:
L7TD3359-CH-06CL	33"-33 3/5"	59"

- Polished aluminum wall jamb
- 1/4 in. (6 mm) thick SGCC certified clear tempered glass
- Include easy clean protective coating
- Frameless glass design
- Effortless folding operation with hinges and save your shower space
- Reversible for a right or left door opening
- Finished walls are required for accurate shower opening width measurement
- Must be installed on tile or solid surface
- Wall studs or other reinforcement behind finished walls required for installation
- Professional installation required



Swing door



Push-in installation



Easy clean



Aluminium profile



6mm thick glass



Reversible install



Adjustment



Screw cap cover




Screw-fixed installation



ALPHA Shower Base

*A*lpha shower base, slim 3 1/2" in height, whether rectangle or square in shape, are designed and made to accompany just about any enclosure. ALPHA shower base are crafted with durable acrylic and the surface is textured to prevent accidental slipping. The concealed cover plate is stylish and made of acrylic or stainless steel materials. Shower bases are available in a range of sizes, shapes and configurations. All collection of bases is CUPC certified which comply with applicable American and Canadian codes and standards.



Shower Base (Rectangle)


Description

This base is designed and made to accompany almost any enclosure. This is crafted with durable acrylic and a textured surface to avoid accidental slipping. Rectangular three tiling flange left drain stainless steel cover.

Features and specifications

Product code:	Wide:	Deep:	Height:
L8SBRE6032-3L-W	60"	32"	3 1/2"

- White color; high quality scratch-resistant and stain-resistant acrylic
- Slip-resistant textured floor for safe showering
- 3 tile flange
- Integrated tile flange for easy installation and waterproofing; fiberglass reinforcement for durability
- Drain left location
- Drain and stainless steel cover are included
- Plumbing codes vary by state; LUXWAY is not responsible for code compliance



Shower Base (Rectangle)

Description

This base is designed and made to accompany almost any enclosure. This is crafted with durable acrylic and a textured surface to avoid accidental slipping. Rectangular three tiling flange right drain stainless steel cover.

Features and specifications

Product code:	Wide:	Deep:	Height:
L8SBRE6032-3R-W	60"	32"	3 1/2"

- White color; high quality scratch-resistant and stain-resistant acrylic
- Slip-resistant textured floor for safe showering
- 3 tile flange
- Integrated tile flange for easy installation and waterproofing; fiberglass reinforcement for durability
- Drain right location
- Drain and stainless steel cover are included
- Plumbing codes vary by state; LUXWAY is not responsible for code compliance



Shower Base (Rectangle)


Description

This base is designed and made to accompany almost any enclosure. This is crafted with durable acrylic and a textured surface to avoid accidental slipping. Rolling ramp rectangular three tiling flange center drain with acrylic concealed cover.

Features and specifications

Product code:	Wide:	Deep:	Height:
L8SBRE6036-3B-W	60"	36"	3 1/2"

- White color; high quality scratch-resistant and stain-resistant acrylic
- Slip-resistant textured floor for safe showering
- 3 tile flange
- Integrated tile flange for easy installation and waterproofing; fiberglass reinforcement for durability
- Drain long side location
- Drain and stainless steel cover are included
- Plumbing codes vary by state; LUXWAY is not responsible for code compliance



Shower Base (Rectangle & Square)

Description

This base is designed and made to accompany almost any enclosure. This is crafted with durable acrylic and a textured surface to avoid accidental slipping. Rectangular three tiling flange center drain with acrylic concealed cover.

Features and specifications

Product code:	Wide:	Deep:	Height:
L8SBRE6032-3C-W	60"	32"	3 1/2"
L8SBRE4836-3C-W	48"	36"	3 1/2"
L8SBSQ3636-3C-W	36"	36"	3 1/2"

- White color; high quality scratch-resistant and stain-resistant acrylic
- Slip-resistant textured floor for safe showering
- 3 tile flange
- Integrated tile flange for easy installation and waterproofing; fiberglass reinforcement for durability
- Drain center location
- Drain and stainless ABS cover are included
- Plumbing codes vary by state; LUXWAY is not responsible for code compliance



Shower Base (Rectangle)

Description

This base is designed and made to accompany almost any enclosure. This is crafted with durable acrylic and a textured surface to avoid accidental slipping. Rectangular two tiling flange left drain stainless steel cover.

Features and specifications

Product code:	Wide:	Deep:	Height:
L8SBRE4834-2L-W	48"	34"	3 1/2"
L8SBRE6036-2L-W	60"	36"	3 1/2"

- White color; high quality scratch-resistant and stain-resistant acrylic
- Slip-resistant textured floor for safe showering
- 2 tile flange
- Integrated tile flange for easy installation and waterproofing; fiberglass reinforcement for durability
- Drain left location
- Drain and stainless steel cover are included
- Plumbing codes vary by state; LUXWAY is not responsible for code compliance



Shower Base (Rectangle)


Description

This base is designed and made to accompany almost any enclosure. This is crafted with durable acrylic and a textured surface to avoid accidental slipping. Rectangular two tiling flange right drain stainless steel cover.

Features and specifications

Product code:	Wide:	Deep:	Height:
L8SBRE4834-2R-W	48"	34"	3 1/2"
L8SBRE6036-2R-W	60"	36"	3 1/2"

- White color; high quality scratch-resistant and stain-resistant acrylic
- Slip-resistant textured floor for safe showering
- 2 tile flange
- Integrated tile flange for easy installation and waterproofing; fiberglass reinforcement for durability
- Drain right location
- Drain and stainless steel cover are included
- Plumbing codes vary by state; LUXWAY is not responsible for code compliance



Freestanding Bath Tub

A freestanding bathtub has a center-offset drain, located on the faucet-side. The gracefully cured sides and sleek lines make a freestanding bathtub a modern masterpiece. The acrylic tub has a slipper design that makes it comfortable to lean back while you bathe.

Our freestanding bathtub is perfectly complimented by its space-saving, upscale and modern design. The tub is manufactured from the highest quality, sanitary-grade acrylic sheets. The tub provides a deep and enjoyable bathing experience for both one or two bathers, and is ideal for smaller bathroom in luxury condominiums, hotels and vacation apartments. Our freestanding bath tubs come with an exceptionally strong, durable, scratch and chemical-resistant surface and a discreet, built-in-overflow channel with a recessed overflow opening. The tub is styled with a classic and contemporary flair as the ergonomically oval and rectangular shape are designed to cradle the body's form for maximum comfort.



CRONUS - Acrylic Oval Freestanding Bathtub

Description

Enjoy a luxurious bath in one of the finest tub we have to offer. This tub is not only perfectly functional but designed to be a beautiful centerpiece in your bathroom. L11BTOV223-AC-W White Acrylic Oval Shape with Center Drain.

Features and specifications

Product code:

Size:

L11BTOV223-AC-W

69" Width x 35 3/8" Deep x 23 5/8" Height

- Measure 69"L x 35 3/8"W x 23 5/8"H
- Tub depth 17 3/4
- Oval shape freestanding bathtub
- Durable, long lasting 100% acrylic construction with fiberglass reinforcement
- High gloss white finish
- Center drain location
- Integrated chrome finish overflow slit and push highlighting drain included
- Adjustment base for accutane leveling and stability
- Water capacity: 65gal (245L)
- Soaking bathtub for a deep, full body experience



ORFEO - Acrylic Oval Freestanding Bathtub

Description

Enjoy a luxurious bath in one of the finest tub we have to offer. This tub is not only perfectly functional but designed to be a beautiful centerpiece in your bathroom. L11BTOV188-AC-W White Acrylic Oval Shape Double-Slipper with Center Drain.

Features and specifications

Product code:

Size:

L11BTOV188-AC-W

70 7/8" Width x 31 1/2" Deep x 26 3/4" Height

- Measure 70 7/8"L x 31 1/2"W x 26 3/4"H
- Tub depth 18"
- Oval shape freestanding bathtub
- Durable, long lasting 100% acrylic construction with fiberglass reinforcement
- High gloss white finish
- Center drain location
- Integrated chrome finish overflow slit and push highlighting drain included
- Adjustment base for accurate leveling and stability
- Water capacity: 76gal (287L)
- Soaking bathtub for a deep, full body experience



BRUNA - Acrylic Oval Freestanding Bathtub

Description

Enjoy a luxurious bath in one of the finest tub we have to offer. This tub is not only perfectly functional but designed to be a beautiful centerpiece in your bathroom. L11BT0V102-AC-W White Acrylic Oval Shape Slipper with Front Center Drain.

Features and specifications

Product code: L11BTOV102-AC-W Size: 70 7/8" Width x35 3/8" Deep x 31 1/2" Height

- Measure 70 7/8"L x35 3/8"W x 31 1/2"H
- Tub depth 17 1/8"
- Oval shape freestanding bathtub
- Durable, long lasting 100% acrylic construction with fiberglass reinforcement
- High gloss white finish
- On the side drain location
- Integrated chrome finish overflow slit and push highlighting drain included
- Adjustment base for accutane leveling and stability
- Water capacity: 57gal (215L)
- Soaking bathtub for a deep, full body experience



ALFIO - Acrylic Rectangular Freestanding Bathtub

Description

Enjoy a luxurious bath in one of the finest tub we have to offer. This tub is not only perfectly functional but designed to be a beautiful centerpiece in your bathroom. L11TURE105-AC-W White Acrylic Rectangular shape with Center Drain.

Features and specifications

Product code:

Size:

L11TURE105-AC-W

63" Width x 31 1/2" Deep x 23 5/8" Height

- Measure 63"L x 31 1/2"W x 23 5/8"H
- Tub depth 17 3/4"
- Rectangular shape freestanding bathtub
- Durable, long lasting 100% acrylic construction with fiberglass reinforcement
- High gloss white finish
- Center drain location
- Integrated chrome finish overflow slit and push highlighting drain included
- Adjustment base for accurate leveling and stability
- Water capacity, 73gal (276L)
- Soaking bathtub for a deep, full body experience



LUCIE - Acrylic Rectangular Freestanding Bathtub

Description

Enjoy a luxurious bath in one of the finest tub we have to offer. This tub is not only perfectly functional but designed to be a beautiful centerpiece in your bathroom. L11TURE162-AC-W White Acrylic Rectangular shape with Center Drain.

Features and specifications

Product code:

L11TURE162-AC-W

Size:

67" Width x 31 1/2" Deep x 23 5/8" Height

- Measure 67"L x 31 1/2"W x 23 5/8"H
- Tub depth 18 1/2"
- Rectangular shape freestanding bathtub
- Durable, long lasting 100% acrylic construction with fiberglass reinforcement
- High gloss white finish
- Center drain location
- Integrated chrome finish overflow slit and push highlighting drain included
- Adjustment base for accurate leveling and stability
- Water capacity: 79gal (298L)
- Soaking bathtub for a deep, full body experience



FORTIS - Acrylic Rectangular Freestanding Bathtub

Description

Enjoy a luxurious bath in one of the finest tub we have to offer. This tub is not only perfectly functional but designed to be a beautiful centerpiece in your bathroom. L11TURE166-AC-W White Acrylic Rectangular Shape with Centre Drain.

Features and specifications

Product code:

Size:

L11TURE166-AC-W

67" Width x 29 1/2" Deep x 23 5/8" Height

- Measure 67"L x 29 1/2"W x 23 5/8"H
- Tub depth 18"
- Rectangular shape freestanding bathtub
- Durable, long lasting 100% acrylic construction with fiberglass reinforcement
- High gloss white finish
- Center drain location
- Integrated chrome finish overflow slit and push highlighting drain included
- Adjustment base for accurate leveling and stability
- Water capacity: 72gal (272L)
- Soaking bathtub for a deep, full body experience



Shower Seat

Description

The shower seat is made of natural wood that will add warmth to the feel of your shower space.

Features and specifications

Product code:

Size:

L9SSA

15 3/4" Length x 13 3/8" Width

- Made of natural teak wood
- Chrome plated on aluminium bars
- Seat folds-up
- Weight capacity of 250 lbs. when installed properly
- Requires special reinforced mounting
- Professional installation required

Shower Seat

*O*ur shower seat is perfect for any shower or tub conversion project. It is a beautiful and practical accessory that provides a convenient and safe place to sit while showering. The shower seat is made of natural wood, clear plastic and stainless steel hardware. With an innovative and compact design, you can easily fold the seat down while showering or dressing then fold it up and away for extra space when not in use.



Shower Seat

Shower Seat

Description

Clear plastic wall mount shower seat.

Features and specifications

Product code:

Size:

L9SSB

14 3/4" Length x 13 1/2" Width

- Made of plastic
- Stainless Steel hardware
- Seat folds-up
- Weight capacity of 250 lbs. when installed properly
- Requires special reinforced mounting
- Professional installation required



Shower Seat

Description

Natural wood shower seat with stainless steel legs.

Features and specifications

Product code:

Size:

L9SSC

15" Length x 13 5/16" Width x 18" Height

- Made of solid wood
- Stainless steel 201 bracket
- Seat folds-up
- Weight capacity of 250 lbs. when installed properly
- Requires special reinforced mounting
- Professional installation required



ALONZO

Bamboo Footboard

You can enjoy a sense of luxury when using our stylish bamboo footboards. They are made from bamboo that is sustainably harvested and comply with all environmental protection regulations. These footboards are water resistant and the non-skid surface design make this an ideal product for usage in any bathroom, spa, sauna, or hot tub areas. These footboards are easy to with clean any gentle floor cleaner and a non-abrasive cloth.

Bamboo Footboard

Description

Standard size with rectangle shape provide comfortable surface for standing.

Features and specifications

Product code:

L10SAA01

Size:

24 23/32" Length x 14 3/4" Width x 1 1/10" Height

- Made of natural bamboo



Bamboo Footboard

Description

Modern and stylish in oval shape.

Features and specifications

Product code:

Size:

L10SAA02

38 1/2" Length x 24 3/4" Width x 1 1/10" Height

- Made of natural bamboo



Bamboo Footboard

Description

Bigger size with rectangle shape comfortable for your feet drying area.

Features and specifications

Product code:

Size:

L10SAA03

29 1/2" Length x 15 3/4" Width x 1 1/10" Height

- Made of natural bamboo





Luxway America Inc.

Address: 3051 East La Jolla Street, Unit A, Anaheim, California 92806

Telephone no.: (949) 742-4260

Email: luxsales@luxwayshower.com

Website: www.luxwayshower.com